



AMENDMENTS TO THE SPECIFICATION



On page 24, after the first paragraph, please amend Table 1 as follows:

TABLE 1

| Example Number | R ₆ | * ¹ NMR | **Mass Spec | Name |
|----------------|----------------|--|---------------------------|--|
| 1 | | ¹ H NMR in DMSO-d ₆ : δ 11.35(d, 1H); 11.09(d, 1H); 8.08(d, 2H); 7.92(d, 2H); 5.799(s, 2H); 3.29(brs, 4H), 1.17(m, 2H); 0.26(m, 1H; 0.078(s, 1H) | 375 (M-H) ⁻ | 4-Trifluoromethyl-N-(3,3a,4,4a,5,5a,6,6a-octahydro-1,3-dioxo-4,6-ethenocycloprop[1]isindol-2(1H)-yl)-benzamide |

| Example Number | R ₆ | *NMR | **Mass Spec | Name |
|----------------|--|---|---------------|--|
| 2 |  | ¹ H NMR in DMSO-d ₆ : δ 11.41(brs); 11.15(brs); 8.77(d of d, 2H); 7.75(d, 2H); 5.77(brs, 2H); 3.27(brs, 4H), 1.15(brs, 2H); 0.25(m, 1H; 0.03(brs, 1H) | 308 (M-H)- | N-(3,3a,4,4a,5,5a,6,6a-octahydro-1,3-dioxo-4,6-ethenocycloprop[f]isindol-2(1H)-yl)-4-pyridinecarboxamide |
| 3 |  | *** | 385 (M-H)- | 4-Bromo-N-(3,3a,4,4a,5,5a,6,6a-octahydro-1,3-dioxo-4,6-ethenocycloprop[f]isindol-2(1H)-yl)-benzamide |

| Example Number | R ₆ | * ¹ H NMR | **Mass Spec | Name |
|----------------|----------------|---|---------------------------|---|
| 4 | | ¹ H NMR in DMSO-d ₆ : δ 11.13(brd, 1H); 10.89(brd, 1H); 7.99(s, 1H); 7.92-7.76(m, 2H); 7.43(t, 1H); 5.72(s, 2H), 3.22-3.08(m, 4H); 1.19(brs, 2H; 0.21(m, 1H); 0.17(brs, 1H) | 385 (M-H) ⁻ | 3-Bromo-N-(3,3a,4,4a,5,5a,6,6a-, octahydro-1,3-dioxo-4,6-ethenocycloprop[f]isindol-2(1H)-yl)-benzamide |
| 5 | | ¹ H NMR in DMSO-d ₆ : δ 11.21(brd, 1H); 10.98(brd, 1H); 7.92(s, 1H); 7.85(d, 1H); 7.71(d, 1H); 7.58(t, 1H), 5.79(brs, 2H); 3.29-3.15(m, 4H); 1.19-1.15(m, 2H); 0.26(m, 1H); 0.10(brs, 1H) | 341 (M-H) ⁻ | 3-Chloro-N-(3,3a,4,4a,5,5a,6,6a-, octahydro-1,3-dioxo-4,6-ethenocycloprop[f]isindol-2(1H)-yl)-benzamide |



| Example Number | R ₆ | *NMR | **Mass Spec | Name |
|----------------|---|---|---------------|---|
| 6 |  | ¹ H NMR in CDCl ₃ ; δ 7.74(s, 1H); 7.69(d, 1H); 7.63(d, 1H); 7.41-7.31(m, 2H); 5.84(m, 2H); 3.48(m, 2H), 3.14(s, 2H); 1.19(m, 2H); 0.38-0.20(m, 2H) | 385 (M-H-) | 2-Bromo-N-(3,3a,4,4a,5,5a,6,6a-octahydro-1,3-dioxo-4,6-ethenocycloprop[f]isindol-2(1H)-yl)-benzamide |
| 7 |  | ¹ H NMR in CDCl ₃ ; δ 7.96(s, 1H); 7.83(d, 1H); 7.45(m, 2H); 7.36(m, 1H); 5.86(d, 2H); 3.47(brs, 2H), 3.15(s, 2H); 1.15(brs, 2H); 0.39-0.20(m, 2H) | 341 (M-H-) | 2-Chloro-N-(3,3a,4,4a,5,5a,6,6a-octahydro-1,3-dioxo-4,6-ethenocycloprop[f]isindol-2(1H)-yl)-benzamide |

| Example Number | R ₆ | ¹ H NMR | ^{**} Mass Spec | Name |
|----------------|----------------|--|-------------------------|---|
| 8 | | ¹ H NMR in DMSO-d ₆ ; δ 11.16(brd, 1H); 10.91(brd, 1H); 7.90(d, 2H); 5.79(s, 2H); 3.28(m, 4H), 1.17(s, 2H); 0.26(m, 1H); 0.07(s, 2H) | 341 (M-)H- | 4-Chloro-N-(3,3a,4,4a,5,5a,6,6a-, octahydro-1,3-dioxo-4,6-ethenocycloprop[f]isindol-2(1H-yl)-benzamide |
| 9 | | ¹ H NMR in DMSO-d ₆ ; δ 11.33(brd, 1H); 9.04(s, 1H); 8.8(m, 1H); 8.23(d, 1H); 7.56(m, 1H); 5.80(s, 2H), 3.29(m, 4H); 1.17(m, 2H); 0.27(m, 1H); 0.07(s, 1H) | 308 (M-)H- | N-(3,3a,4,4a,5,5a,6,6a-, octahydro-1,3-dioxo-4,6-ethenocycloprop[f]isindol-2(1H-yl)-3-pyridinecarboxamide |

| Example Number | R ₆ | *NMR | **Mass Spec | Name |
|----------------|----------------|--|------------------------|--|
| 10 | | ¹ H NMR in DMSO-d ₆ : δ 11.11(s, 1H); 8.70(d, 1H); 8.07-8.02(M, 2H); 7.7-7.66(m, 1H); 5.75(m, 2H); 3.295(s, 4H), 1.16(m, 2H); 0.27(m, 1H); 0.10(s, 1H) | 308 (M-H) ⁻ | N-(3,3a,4,4a,5,5a,6,6a-octahydro-1,3-dioxo-4,6-ethenocycloprop[f]isoidol-2(1H)-yl)-2-pyridinecarboxamide |
| 11 | | ¹ H NMR in DMSO-d ₆ : δ 10.87(brd, 1H); 7.87(d, 2H); 7.05(d, 2H); 5.78(br, 2H); 3.84(s, 3H); 3.30(s, 4H), 1.16(m, 2H); 0.25(m, 1H); 0.07(brs, 1H) | 339 (M+H) ⁺ | 4-Methoxy-N-(3,3a,4,4a,5,5a,6,6a-octahydro-1,3-dioxo-4,6-ethenocycloprop[f]isoidol-2(1H)-yl)-benzamide |



| Example Number | R ₆ | *NMR | **Mass Spec | Name |
|----------------|----------------|---|--------------------------|--|
| 12 | | ¹ H NMR in DMSO-d ₆ : δ 11.537-11.469(brd, 1H); 8.38(d, 2H); 5.38(s, 2H); 3.30(br, 4H); 1.18(s, 2H); 0.27(m, 1H); 0.08(s, 1H) | 352 (M-H) ⁻ | 4-Nitro-N-(3,3a,4,4a,5,5a,6,6a,-octahydro-1,3-dioxo-4,6-ethenocycloprop[f]isindol-2(1H)-yl)-benzamide |
| 13 | | ¹ H NMR in DMSO-d ₆ : δ 11.04(br, 1H); 7.96(s, 2H); 7.367(t, 2H); 5.791(s, 2H); 3.258(4H & H ₂ O), 1.18(d, 2H); 0.28(m, 1H); 0.09(s, 1H) | 327.0 (M+H) ⁺ | 4-Fluoro-N-(3,3a,4,4a,5,5a,6,6a,-octahydro-1,3-dioxo-4,6-ethenocycloprop[f]isindol-2(1H)-yl)-benzamide |

| Example Number | R ₆ | *NMR | **Mass Spec | Name |
|----------------|----------------|--|--------------------------|---|
| 14 | | ¹ H NMR in DMSO-d ₆ : δ 11.176(br, 1H); 7.768-7.459(m, 4H); 5.797(s, 2H); 3.293(H ₂ O & 4H), 1.174(s, 2H); 0.23(m, 1H); 0.05(s, 1H) | 327.0 (M+H) ⁺ | 3-Fluoro-N-(3,3a,4,4a,5,5a,6,6a-octahydro-1,3-dioxo-4,6-ethenocycloprop[f]isoiindol-2(1H)-yl)-benzamide |
| 15 | | *** | 388.9 (M-H) ⁻ | 4-Bromo-N-(octahydro-1,3-dioxo-4,6-ethanocycloprop[f]isoiindol-2(1H)-yl)-benzamide |

| Example Number | R ₆ | *NMR | **Mass Spec | Name |
|----------------|---|---|--------------------------|---|
| 16 |  | ¹ H NMR in DMSO-d ₆ : δ 11.14(brd, 1H); 7.85(brd, 2H); 7.76(d, 2H); 7.10(brs, 2H) 3.43(brd, 2H), 2.86(brs, 2H); 1.98-1.54(m, 6H) | 387 (M-H) ⁺ | 4-Bromo-N-(1,3-(2H, 3aH)-dioxo-4,8-ethenocyclohepta[c]pyrrolyl)-benzamide |
| 17 |  | ¹ H NMR in DMSO-d ₆ : δ 11.16(s, 1H); 7.86(d, 2H); 5.797(s, 2H); 3.293(H ₂ O & 4H), 1.174(s, 2H); 0.23(m, 1H); 0.05(s, 1H) | 350.9 (M+H) ⁺ | 4-Bromo-N-(octahydro-1,3-dioxo-2H-isindol-2-yl)-benzamide |

| Example Number | R ₆ | * ¹ H NMR | **Mass Spec | Name |
|----------------|----------------|---|------------------------|---|
| 18 | | ¹ H NMR in DMSO-d ₆ : δ 11.05(brd, 1H); 7.83(d, 2H); 7.76(d, 2H); 6.21(s, 2H); 3.15(s, 2H); 3.04(s, 2H); 1.66(d, 2H); 1.28(d, 2H) | 373 (M-H) ⁻ | 4-Bromo-N-bicyclo[2.2.2]oct-5-ene-2,3-dicarboximido-benzamide |
| 19 | | ¹ H NMR in DMSO-d ₆ : δ 11.15(s, 1H); 7.87(d, 2H); 7.78(d, 2H); 3.07(m, 2H), 2.04(s, 2H); 1.75-1.64(m, 2H); 1.45-1.38(m, 3H) | 373 (M-H) ⁻ | 4-Bromo-N-bicyclo[2.2.2]octane-2,3-dicarboximido-benzamide |

| Example Number | R ₆ | *NMR | **Mass Spec | Name |
|----------------|----------------|---|--------------------------|--|
| 20 | | ¹ H NMR in DMSO-d ₆ : δ 11.36(br, 1H); 8.03(s, 4H); 5.79(s, 2H); 3.30(4H + H ₂ O); 2.50(s, 2H); 1.20(s, 2H) | 332.1 (M-H) ⁻ | <u>4-Cyano-N-(3,3a,4,4a,5,5a,6,6a-octahydro-1,3-dioxo-4,6-ethenocycloprop[f]isoidol-2(1H)-yl)-benzamide</u> |
| 21 | | ¹ H NMR in DMSO-d ₆ : δ 11.286(br, 1H); 8.13(d, 2H); 8.10(d, 2H); 3.30(4H + H ₂ O); 1.49-1.12(m, 4H); 0.83(s, 1H); 0.57(s, 1H) | 377.0 (M-H) ⁻ | <u>4-Trifluoromethyl-N-(3,3a,4,4a,5,5a,6,6a-octahydro-1,3-dioxo-4,6-ethenocycloprop[f]isoidol-2(1H)-yl)-benzamide</u> <u>4-Trifluoromethyl-N-(3,3a,4,4a,5,5a,6,6a-octahydro-1,3-dioxo-4,6-ethanocycloprop[f]isoidol-2(1H)-yl)-benzamide</u> |

| Example Number | R ₆ | *NMR | **Mass Spec | Name |
|----------------|---|------|-------------|---|
| 22 |  <p>Chemical structure of compound 22: A bicyclic system (indolinobenzodifuran) substituted with two amide groups. One amide group is at the 4-position and the other is at the 7-position of the indolinobenzodifuran core. The amide groups are linked via their nitrogen atoms.</p> | *** | *** | 4-Methyl-N-(3,3a,4,4a,5,5a,6,6a-octahydro-1,3-dioxo-4,6-ethenocycloprop[f]isindol-2(1H)-yl)-benzamide |
| 23 |  <p>Chemical structure of compound 23: Similar to compound 22, but with a bromine atom (Br) attached to the benzene ring of the amide group at the 7-position.</p> | *** | *** | 3-Bromo-N-(1',2,2'a,4',7,7'a-hexahydro-1',3'-dioxospiro[cyclopropane-1,8'[4,7]methano[2H]isoindol]-2'-yl)-benzamide |

| Example Number | R ₆ | *NMR | **Mass Spec | Name |
|----------------|----------------|------|-------------|--|
| 24 | | *** | *** | N-(3,3a,4,4a,5,5a,6,6a-octahydro-1,3-dioxo-4,6-ethenocycloprop[f]isindol-2(1H-yl)-tricyclo[3.3.1.13,7]decane-1-carboxamide |
| 25 | | *** | *** | N-(3,3a,4,4a,5,5a,6,6a-octahydro-1,3-dioxo-4,6-ethenocycloprop[f]isindol-2(1H-yl)-benzenacetamide |

| Example Number | R ₆ | *NMR | **Mass Spec | Name |
|----------------|----------------|------|-------------|---|
| 26 | | *** | *** | 4-Bromo-N-(1,3,3a,4,7,7a-hexahydro-1,3-dioxo-4,7-methano-2H-isindol-2-yl)benzamide |
| 27 | | *** | *** | 2,4-Dichloro-N-(1,3,3a,4,7,7a-hexahydro-1,3-dioxo-4,7-methano-2H-isindol-2-yl)benzamide |

| Example Number | R ₆ | *NMR | **Mass Spec | Name |
|----------------|----------------|---|--------------------------|--|
| 28 | | ¹ H NMR in DMSO-d ₆ : δ 11.37(br, 1H); 8.10(d, 2H); 7.94 (d, 2H); 6.22(s, 2H); 3.17 (s, 2H); 3.05(s, 2H); 1.66(m, 2H); 1.29 (m, 2H) | 365.0 (M+H) ⁺ | 4-Trifluoromethyl-N-bicyclo [2.2.2]oct-5-ene-2,3-dicarboximido-benzamide |
| 29 | | ¹ H NMR in DMSO-d ₆ : δ 11.33(s, 1H); 8.14(d, 2H); 8.11 (d, 2H); 3.29 (s, 4H); 2.05(s, 2H); 1.76-1.65(m, 4H); 1.42 (s, 2H) | 367.0 (M+H) ⁺ | 4-Trifluoromethyl-N-bicyclo [2.2.2]octane-2,3-dicarboximido-benzamide |

* All 1H NMR and 13C NMR spectra were acquired on a Varian Mercury VX300 Spectrometer and referenced to tetramethylsilane (TMS) unless indicated otherwise. Chemical shifts and coupling constants are reported in parts per million (ppm) and Hertz (Hz), respectively, Multiplicities indicated are: s=singlet, d=doublet, t=triplet, q=quartet, m=multiplet, dd=doublet of doublets, and br indicates a broad signal.

**Mass Spectroscopy data is expressed as a mass to charge ratio (m/z) for either (M+1) or (M-1) molecular ion.

***indicates that data were not collected.

On page 32, please amend Table 2 as follows:

TABLE 2




| Example Number | Structure | Name |
|----------------|-----------|---|
| 30 | | 4-Trifluoromethyl-N-(3,3a,4,4a,5,5a,6,6a-octahydro-1,3-dioxo-4,6-ethenocycloprop[1]isoindol-2(1H)-yl)-N-methylbenzamide |

| Example Number | Structure | Name |
|----------------|-----------|--|
| 31 | | 4-Trifluoromethyl-N-(3,3a,4,4a,5,5a,6,6a-octahydro-1,3-dioxo-4,6-ethenocycloprop[f]isoindol-2(1H)-yl)-N-ethylbenzamide |
| 32 | | 4-Trifluoromethyl-N-(3,3a,4,4a,5,5a,6,6a-octahydro-1,3-dioxo-7,8-dimethyl-4,6-ethenocycloprop[f]isoindol-2(1H)-yl)-benzamide |

| Example Number | Structure | Name |
|----------------|-----------|--|
| 33 | | 4-Trifluoromethyl-N-(3a,4,7, 7a-tetrahydro-4,7-etheno-1H- isoindol-2(1H)-yl)-benzamide |
| 34 | | N-(3,3a,4,4a,5,5a,6,6a- octahydro-1,3-dioxo-7,8- dimethyl-4,6- ethenocycloprop[f]isoindol- 2(1H)-yl)-acetamide |

| Example Number | Structure | Name |
|----------------|-----------|---|
| 35 | | N-(3,3a,4,4a,5,5a,6,6a-octahydro-1,3-dioxo-7,8-dimethyl-4,6-ethenocycloprop[f]isoindol-2(1H)-yl)-but-3-enamide |
| 36 | | N-(3,3a,4,4a,5,5a,6,6a-octahydro-1,3-dioxo-7,8-dimethyl-4,6-ethenocycloprop[f]isoindol-2(1H)-yl)-cyclohexanecarboxamide |

| Example Number | Structure | Name |
|----------------|---|------|
| 37 | <p>4-Trifluoromethyl-N-(3,3a,4,4a,5,5a,6,6a-octahydro-1,3-dioxo-7,8-dimethyl-4,6-ethenocycloprop[f]isoindol-2(1H)-yl)-benzylacetamide</p> | |
| 38 | <p>4-Pyridyl-N-(3,3a,4,4a,5,5a,6,6a-octahydro-1,3-dioxo-7,8-dimethyl-4,6-ethenocycloprop[f]isoindol-2(1H)-yl)-acetamide</p> | |

| Example Number | Structure | Name |
|----------------|--|---|
| 39 |  | 3-Thienyl-N-(3a,4,4a,5,5a,6,6a-octahydro-1,3-dioxo-7,8-dimethyl-4,6-ethenocycloprop[f]isoindol-2(1H)-yl)-N-methylbenzamide |
| 40 |  | 4-(Trifluoromethyl)-N-((3aR,4S,4aS,5aR,6R,6aS)-3,3a,4,4a,5,5a,6,6a-octahydro-1,3-dioxo-4,6-ethenocycloprop[f]isoindol-2(1H)-yl)-benzamide |
| 41 |  | 2,4-Dimethyl-N-(3,3a,4,4a,5,5a,6,6a-octahydro-1,3-dioxo-4,6-ethenocycloprop[f]isoindol-2(1H)-yl)-thiazole-5-carboxamide |